ELSEVIER

Journal of Materials Processing Technology 143–144 (2003) 927–929

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volumes 143–144

Abenojar, J., 28, 698
Abrao, A.M., 237
Abuazza, A., 875
Akasawa, T., 66
Amador, D.R., 776, 781
Amigó, V., 209, 598, 605, 693
Andreev, K., 72
Anglada, M., 148, 321
Antón, N., 286, 290, 475
Antoniadis, A., 481
Antonucci, V., 687
Aoki, W., 662
Arámburo-Pérez, G., 551
Aranda, P., 5
Arcondo, B., 420
Arenas, F., 822
Arribas, C., 827
Aznar, A.J., 82, 153, 495

Bae, W.B., 656
Baez, J., 860
Baker, L.J., 442
Barcz, A., 158
Barreiros, F.M., 454
Barriere, Th., 636
Bas, J.A., 290
Baselga, J., 82, 153, 311, 332, 438, 491, 495, 546, 851
Baszkiewicz, J., 158
Bejarano, A., 34
Bellosi, A., 527
Belt, J., 651
Belzunce, F.J., 134
Benga, G.C., 237
Berlanga, C., 105
Biezma, M.V., 219
Bilalis, N., 481
Biliński, A., 158
Bissoli, F., 425
Blas, F., 266
Bordreuil, C., 337
Botta F, W.J., 185
Boudeau, N., 11
Boyer, J.-C., 337
Brabazon, D., 567, 875
Bravo, J., 311, 438, 491
Busquets, D.J., 605

Cabanelas, J.C., 311, 546
Cabrera, J.M., 321, 403
Calabrò, A., 687
Calzavarini, R., 527
Cambronero, L.E.G., 378
Cameron, D.C., 922
Campos, M., 464
Candela, N., 752
Canta, T., 645
Canteli, A.F., 134
Cárabe, J., 358
Caram, R., 629
Carracedo, M.T., 62, 126, 130
Carrino, L., 373
Carsí, M., 416
Casellas, D., 148
Castanho, J.M., 352
Castany, F.J., 214
Castro, F., 814
Castro, H., 134
Castro, L., 397
Catarino, L., 454, 843
Chavez, R., 860
Christlein, J., 202
Chung, I.J., 93
Cilense, M., 41, 802
Ciupitu, I., 270
Clavería, I., 214
Contat, L., 693
Correcher, V., 871
Costa, L., 112
Criado, A.J., 764
Croix, P., 202
Cusano, A., 687
Cutolo, A., 687

da Costa, C.E., 138
Daniel, S.R., 442
Daniellou, T., 578
Danninger, H., 179, 910
Dariel, M.P., 486
David Chua, S.N., 591
David, E., 191
Díaz, J., 342
de Arenas, I.B., 838
de la Rosa, J.M., 23
del Real, J.C., 219
Delgado, A., 871
Delgado, J.L., 475
D'Errico, G.E., 527
Diez de Ulzúrrun, I., 219
Dobrota, R., 175
Dobrzański, L.A., 832
Dolinsek, S., 98
Dumitru, N., 270

El-Baradie, M.A., 875
El-Saeid Essa, Y., 856
El'Sheikh, H.F., 249

Faga, M.G., 527
Fernández, I., 266
Ferreira, J.R., 458
Ferrer, C., 598
Fischer, O., 916
Fogagnolo, J.B., 792
Fontana, M., 420
Forn, A., 1, 52, 58
Foschini, C.R., 802
Frage, N., 486
Frahn, J., 277
Frövel, M., 266
Frumin, N., 486
Frunza, D., 645
Fukui, T., 501

Galván, J.C., 5
Gamboa, R., 286
Gandía, J.J., 358
García, A., 62, 130, 860
García, N., 491
García, R., 769
García-Galán, S., 551
Garcıa-Guinea, J., 871
García-Hinojosa, J.A., 306
García-Márquez, J.M., 286, 290
Garcés, Y., 506
Garcia, A., 703
Garin, J.L., 347, 533
Gelbstein, M., 486
Gelin, J.C., 11, 636, 891
Genesca, J., 23
Georgescu, C., 384
Gheorghe, St., 270
Gil, L., 846
Gil, O., 838
Gimenez, S., 555
Giordano, M., 687
Giuliano, G., 373
González, C.A., 23
González, C.R., 306
González, E., 491
González, G.M., 306
González, P., 506
González-Benito, J., 82, 153, 495
González-Rivera, C., 551, 860
Gordo, E., 769
Govender, E., 796
Güemes, A., 316
Guillén, C., 144, 326
Gutiérrez, M.T., 358

Haga, T., 895
Hakotani, M., 673

Elsevier B.V.
doi:10.1016/S0924-0136(03)00974-9

Harada, Y., 561, 710
Harlin, N., 448
Harmuth, H., 72
Hashmi, M.S.J., 249, 591, 807, 922
Herrero, J., 144
Hirota, K., 682
Hong, C.P., 758
Hosokawa, Y., 677
Houbaert, Y., 306, 916
Huerta-Cerdán, A., 23

Ignaszak, Z., 748
Inoue, T., 662, 880
Inserra, S., 687, 886
Iturriza, I., 555

Janíček, L., 300
Javierre, C., 214
Jeon, B.H., 93
Jimenez, A., 290
Jiménez, J.A., 416
Jiménez-Garay, R., 512, 866
Jiménez-Morales, A., 5
Jones, T.B., 448
Jordovic, B., 501
Ju, D.-Y., 880
Juárez-Islas, J., 551
Juarez-Islas, J., 860

Kaguchi, H., 905
Kasuga, Y., 716
Katayama, T., 667, 673, 677, 901
Kato, N., 716
Kawashima, Y., 682
Kawiak, M., 294
Khoei, A.R., 46, 886
Khoei, A.R., 886
Kim, C.I., 729
Kim, Y.H., 735
Kim, Y.J., 656
Kim, Y.S., 729
Kimura, H., 905
Kimura, K., 905
Komori, K., 367
Kosec, L., 98
Kowalewski, Z.L., 741
Koyama, H., 261
Križ, A., 832
Krupa, D., 158
Kuboki, I., 362
Kwak, T.S., 656

Lapprand, A., 827
Lauro, F., 202
Lazar, A., 191
Le Maoult, Y., 225
Lean, P.P., 846
Leclerc, H., 891
Lejeune, A., 11
Levenfeld, B., 397, 470
Levin, L., 486
Lima, W.M., 698
Lin, J., 281, 723
Liu, B., 636
Liu, C., 880
Liu, Y., 281, 723
Llanes, L., 148, 321
Looney, L., 567
López, F., 219
López-Alemany, P.L., 512, 866
Lovas, A., 651
Luis Pérez, C.J., 105, 390, 506
Luis, C.J., 112, 521
Lukaszkowicz, K., 832
Lyckfeldt, O., 752

MacDonald, B.J., 249, 591, 807
Machida, T., 716
Madrid, M., 290
Maganto, F., 62, 130
Maki, S., 561, 710
Malsch, G., 277
Manabe, K., 612
Manabe, K.-i., 261
Mancic, L., 41, 501
Mannheim, R.L., 347, 533
Maric, R., 501
Marinkovic, Z.V., 41
Markovits, T., 651
Martin, O., 851
Martinez, M.A., 286, 290, 764, 792
Martinez, N., 598, 605
Martins, I.M., 843
Martín, E., 1
Martín, J.M., 814
Martínez, M.A., 28, 219, 326
Masachika, T., 242
Masegosa, R.M., 171, 827
Mateo, A., 321
McNamara, B.P., 922
Menéndez, J.M., 316
Merino, S., 397
Mesquita, F.A., 232
Mikes, F., 546
Milenkovic, S., 629
Milosan, I., 175
Miloševic, O., 41
Milosevic, O., 501
Mirandou, M., 420
Miura, H., 256
Molleda, F., 316
Monteix, S., 225
Monteverde, F., 527
Mora, M., 118, 122
Moreira, M.R.V., 458
Morelli, M.R., 232
Mori, K., 242, 561, 710
Mori, T., 682
Morón, C., 62
Morón, C., 118, 122, 126, 130
Morshed, M.M., 922
Mota, J.M., 764

Nagl, M.M., 148
Naher, S., 567
Nakamachi, E., 667
Nakamura, M., 66
Nakamura, Y., 667
Nakazawa, T., 905
Nava, D., 171
Nicolais, L., 687
Nikov, S., 796
Nishii, K., 673
Nishimura, H., 612
Nogué, R., 1
Norasethasopon, S., 362
Nowacki, J., 294

Ogawa, H., 256
Ohara, S., 501
Ohata, T., 667
Ohmori, M., 710
Oliveira, M.M., 843
Olmos, D., 82, 153, 495
Osório, W.R., 703
Oudin, J., 202

Padmanabhan, R., 807
Pallone, E.M.J.A., 185
Palmieri, C., 373
Paorici, C., 425
Parilák, L'., 18
Park, J.H., 735
Park, J.J., 758
Parker, J.D., 442, 448
Parucker, M.L., 138
Paz-Abuín, S., 546
Pazos, M., 438
Peñalba, F., 416
Pérez-Castellanos, J.L., 856
Pérez-Ilzarbe, J., 105
Peron, K.A., 802
Petruška, J., 300
Pezzin, S.H., 517
Phuah, K., 796
Picas, J.A., 52
Podgornik, B., 98
Ponce, J., 403
Pozuelo, J., 332
Prado, J.M., 34, 321, 403
Prolongo, M.G., 171, 827
Prolongo, S.G., 311, 546
Puertas Arbizu, I., 390
Puertas, I., 112, 521
Put, S., 572

Quaresma, J.M.V., 703

Rabanal, M.E., 470
Ratchev, S., 796
Ray, S., 616, 623
Rees, D.W.A., 164
Remartínez, B., 316
Ribeiro, M.V., 458
Ribes, A., 693
Rieiro, I., 416
Riera, M.D., 34
Rodriguez, C., 134
Romano, P., 752
Rondón, C., 822
Ros-Yañez, T., 916
Rîpă, M., 384
Ruano, O.A., 416
Rubio Alvir, E.M., 539
Rubio, L., 342
Ruiz Román, J.M., 219
Ruiz-Navas, E.M., 769, 792
Ruiz-Prieto, J.M., 378
Ruiz-Roman, J.M., 378
Rupérez, E., 58

Sakamoto, Y., 677
Sakano, M., 410
Sakurai, H., 66
Šalak, A., 18, 910
Salle, E., 337
Salom, C., 171, 827
Salvador, M.D., 209, 598, 605, 693
Sanchez, D., 464
Sánchez, E., 378
Sánchez, P.G., 153
Sánchez-Muñoz, L., 871
Santos, C.A., 703
Santos, P., 517
Sanz Lobera, A., 539
Schmidt, F.M., 225
Schneider, J., 916
Schwarz, H.-H., 277
Sebastián Pérez, M.A., 539
Sebastián, M.A., 112
Seceleanu, D., 175
Segovia, F., 209
Selecká, M., 18, 910
Seo, M.K., 656
Sepúlveda, R., 822
Sequeira Tavares, S., 584
Serraller, F., 214
Serrano, B., 311
Sgobba, S., 578, 584
Shinohara, M., 673
Shui, Z.R., 87
Simón, M.A., 792
Simón, M.J., 52
Singh, S.B., 616, 623
Sobczak, J.W., 158
Son, H.S., 729
Sousa, J., 843
Stojanovic, B.D., 78, 802
Suárez, J.C., 219, 316
Suban, M., 430
Sugiyama, T., 901
Sustarsic, B., 98
Suzuki, S., 895
Suzuki, T., 662

Takács, J., 651
Takahashi, T., 786
Takano, K., 66
Takuda, H., 242
Tanaka, T., 66
Teisanu, C., 270
Teresa Baile, M., 58
Tomasi, R., 185
Tomescu, L., 384
Torralba, J.M., 397, 464, 470, 475, 698, 776, 781
Trombini, V., 185
Tsiklos, G., 796
Tsuchida, Y., 662
Tucic, A., 41
Tušek, J., 430

Ureña, A., 846

Van der Biest, O., 572
Varela, J.A., 802
Várez, A., 397, 470
Vasilescu, E., 384
Vázquez, J., 512, 866
Veira, F.O.S., 802
Velasco, F., 28, 286, 475, 752
Velasco, F.J., 698, 764, 769
Vicente, A., 209
Vidakis, N., 481
Vidal, M.J., 693
Vieira, M.T., 352, 454, 843
Villares, P., 512, 866
Vivancos, J., 112
Vleugels, J., 572

Wahab, M.A., 410
Wang, B.Q., 87
Watanabe, Y., 242
Weiss, B., 179

Yamamoto, H., 612
Yamamoto, K., 901
Yamazaki, E., 242
Yeon, J.H., 93
Yoshida, K., 362
Yoshihara, S., 612
Young, P., 807

Zaghete, M.A., 802
Zancolò, C., 527
Zanotti, L., 425
Zapata, W.C., 138
Zarroug, N.M., 807
Zha, M., 425
Zoqui, E.J., 195

ELSEVIER

Journal of Materials Processing Technology 143–144 (2003) 930–945

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volumes 143–144

A.D.I
Some aspects about the mathematical modelling results of an S.G. cast iron with special properties, 175
Absorption
Laser brazing of aluminium, 651
Accuracy
Force and deflection modelling in milling of low-rigidity complex parts, 796
h-Adaptive remeshing
Application of a failure analysis to powder forming processes, 46
Adhesion
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352
The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds, 481
Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source, 922
Adhesive
Adhesive bonding between aluminium and polytetrafluoroethylene, 191
Case studies in adhesives selection, 219
Aerosol
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
After impact
Cure effects on post-impact tensile characteristics of 2D epoxy composites, 209
Air and corrosive environment
Corrosion and biaxial fatigue of welded structures, 410
Al–Cu alloys
Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index, 195
Al–Si cast alloys
Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr, 306
Al–SiC
Simulation of the stir casting process, 567
Al–Si–Cu alloys
Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr, 306
Al–Si–Mo coatings
Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings, 52
Al–Si–Ni alloys
Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr, 306
Alumina
Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects, 148
Alumina ceramics
Alumina ceramics cutting by self-sharpening edge technique of diamond, 662
Aluminium
Strain hardening behaviour and temperature effect on Al-2124/SiCp, 1
Adhesive bonding between aluminium and polytetrafluoroethylene, 191
Aluminium alloy
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$, 58
Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration, 486
An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment, 584
Aluminium matrix composite
Dissimilar welds between unreinforced AA6082 and AA6092/SiC/25p composite by pulsed-MIG arc welding using unreinforced filler alloys (Al–5Mg and Al–5Si), 846
Aluminum alloy strip
Study on high-speed twin-roll caster for aluminum alloys, 895
Aluminum titanate
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Al–Zn–Mg alloys
Mechanical characterisation of AA7015 aluminium alloy reinforced with ceramics, 378
AMCs
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Amorphization
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Amorphous materials
Magneto-impedance effect in amorphous wires, 126
Amorphous ribbons
Domain structure of local current annealed amorphous ribbons, 130
Amorphous wire
Application of the electrodeposited multilayers amorphous wires in magnetometric sensors, 62
Analysis limit
Mechanical solutions for drawing processes under plane strain conditions by the upper bound method, 539
Anisotropic behaviour
Improvement of damage prediction by anisotropy of microvoids, 202
Anisotropic composites
Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc, 623
Anisotropic damage
Improvement of damage prediction by anisotropy of microvoids, 202
Anisotropy
Domain structure of local current annealed amorphous ribbons, 130
Annealing
Development of optimum process design system for sheet fabrication using response surface method, 667

Elsevier B.V.
doi:10.1016/S0924-0136(03)00975-0

ANSYS
Mild steel (En8) rod tests under combined tension–torsion loading, 807
9-Anthroic acid
The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins, 851
Arc stability
Methods for the determination of arc stability, 430
Arc wander
Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels, 578
Artificial hip replacement
Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading, 249
As-quenched glass and reheated glass
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
Atomisation
Some properties of powder forged steel based on chromium pre-alloyed powders of high oxygen content, 18
Austempered ductile iron
Strain-induced martensite in ADI alloys, 347
Austenite
Modeling thermomechanical processing of austenite, 403
Austenitic stainless steel
Effects of free-cutting additives on the machinability of austenitic stainless steels, 66
Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels, 578
Autoclave forming
Autoclave forming of thermoplastic composite parts, 266

Balloon
Finite element simulation of stent and balloon interaction, 591
Barium titanate
Size effect on structure and dielectric properties of Nb-doped barium titanate, 802
Batch compocasting
Simulation of the stir casting process, 567
Bending strength
The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying, 551
Biaxial and corrosion fatigue
Corrosion and biaxial fatigue of welded structures, 410
Biomaterials
Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance, 158
Bladed punch
Effect of cutting conditions on press cutting of a square pipe, 716
Blend powder
Hot erosion behavior of carbide–metal composite coatings, 87
Bonding
Case studies in adhesives selection, 219
Boron
A method of making boride and vitreous compound by powder metallurgy, 764
The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels, 910
Boron carbide
Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration, 486
Boron steels
Influence of carbon and aluminium additions on the Fe–10% B (wt.) system, 28
Bragg grating
Optical fibre sensors for monitoring of welding residual stresses, 316
Brazing of aluminium
Laser brazing of aluminium, 651
Brushes
Viability study and mechanical characterisation of copper–graphite electrical contacts produced by adhesive joining, 290
Bursting
Influence of material and process parameters on bursting during hydroforming process, 11

Cadmium telluride
New approach for high resistivity CdTe preparation, 425
CAE tools
Limiting thickness estimation in polycarbonate lenses injection using CAE tools, 438
Critical thickness estimation in ISO-MC cards injection using CAE tools, 491
Calcium phosphate
Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance, 158
Carburizing
Numerical modeling and simulation of carburized and nitrided quenching process, 880
Cast iron
Characterization of casting iron powder from recycled swarf, 138
Cemented carbides
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Ceramic binders
Plastic forming of Al_2O_3 ceramic substrates, 232
Ceramic composites
Microstructural engineering of functionally graded materials by electrophoretic deposition, 572
Ceramic porous materials
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Ceramic powders
Mechanochemical synthesis of ceramic powders with perovskite structure, 78
Ceramic substrates
Plastic forming of Al_2O_3 ceramic substrates, 232
Ceramic tools
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Ceramics
A method of making boride and vitreous compound by powder metallurgy, 764
Cermets
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Chalcogenides
DC conductivity of GeSeAg glasses at room temperature, 420
Characterization
Quantification of the SiC_p content in molten Al–Si/SiC_p composites by computer aided thermal analysis, 860
Chemical degradation
Evaluation of chemical degradation of commercial polypropylene, 693
Chromium
Sandwich-rolling of sintered chromium, 710
Chromium alloying
Some properties of powder forged steel based on chromium pre-alloyed powders of high oxygen content, 18
Chromium carbide
Hot erosion behavior of carbide–metal composite coatings, 87
C-MOLD
Limiting thickness estimation in polycarbonate lenses injection using CAE tools, 438

Critical thickness estimation in ISO-MC cards injection using CAE tools, 491
Coatings
Hot erosion behavior of carbide–metal composite coatings, 87
Cohesion
The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds, 481
Cold forming
Rigid–plastic finite element simulation for process design of impeller hub forming, 729
Commercial polypropylene
Evaluation of chemical degradation of commercial polypropylene, 693
Compaction
Simulation of the compaction process of a two-level powder metallurgical part, 34
Composite
Cure effects on post-impact tensile characteristics of 2D epoxy composites, 209
Autoclave forming of thermoplastic composite parts, 266
Mechanical properties of polypropylene reinforced with recycled-pet fibres, 517
Creep analysis in an isotropic FGM rotating disc of Al–SiC composite, 616
Growth morphology of the NiAl–V in situ composites, 629
A method of making boride and vitreous compound by powder metallurgy, 764
Quantification of the SiC_p content in molten Al–Si/SiC_p composites by computer aided thermal analysis, 860
Composite powder
Hot erosion behavior of carbide–metal composite coatings, 87
Compositional dependence
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Compressible plasticity
An orthotropic specific damage model with inclusion consideration, 337
Compression test
On the evaluation of strain inhomogeneity by hardness measurement of formed products, 300
Concrete-reinforcing bars
Mechanical properties and corrosion behaviour of stainless steel reinforcing bars, 134
Constant angle of twist
Mild steel (En8) rod tests under combined tension–torsion loading, 807
Constant axial displacement
Mild steel (En8) rod tests under combined tension–torsion loading, 807
Constitutive equations
Hot deformation of duplex stainless steels, 321
Control volume method
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Convection
2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure, 901
Cooling curve analysis
Quantification of the SiC_p content in molten Al–Si/SiC_p composites by computer aided thermal analysis, 860
Copper–graphite contacts
Viability study and mechanical characterisation of copper–graphite electrical contacts produced by adhesive joining, 290
Copper–nickel steels
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
Corrosion
Mechanical properties and corrosion behaviour of stainless steel reinforcing bars, 134
Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance, 158
Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate, 832
Corrosion behaviour
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Crack propagation
Improvement of damage prediction by anisotropy of microvoids, 202
Creep
Nutting creep in polymer composites, 164
Creep analysis in an isotropic FGM rotating disc of Al–SiC composite, 616
Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc, 623
Creep strength
Advanced type stainless steel 316FR for fast breeder reactor structures, 905
Critical thickness
Limiting thickness estimation in polycarbonate lenses injection using CAE tools, 438
Critical thickness estimation in ISO-MC cards injection using CAE tools, 491
Crown-ethers
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Cryogenic
An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment, 584
Crystal growth
New approach for high resistivity CdTe preparation, 425
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
Crystal structure
Pyrosol preparation and structural characterization of SnO_2 thin films, 41
Crystallization kinetics
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
Cure
Cure effects on post-impact tensile characteristics of 2D epoxy composites, 209
Curing
Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response, 153
Epoxy resins modified with poly(vinyl acetate), 827
The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins, 851
Curing condition
Effect of curing condition on the temperature of test piece in curing process of SMC roll forming, 673
Current annealing
Domain structure of local current annealed amorphous ribbons, 130
Cut surface quality
Effect of cutting conditions on press cutting of a square pipe, 716
Cutting efficiency
Characterisation and application of titanium carbonitride-based cutting tools, 527
Cutting force
Effect of cutting conditions on press cutting of a square pipe, 716

Cyclic hardening/softening
Effects induced in metallic materials due to non-proportional cyclic loading, 741
Cyclic voltammetry
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23

3D model
3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique, 886
Damage
Cure effects on post-impact tensile characteristics of 2D epoxy composites, 209
DC conductivity
DC conductivity of GeSeAg glasses at room temperature, 420
Debinding
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Decomposition
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Deep drawing
Virtual processing in intelligent BHF control deep drawing, 261
Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique, 612
Defect
The influence of defects on high cycle fatigue of metallic materials, 179
Deflection prediction
Force and deflection modelling in milling of low-rigidity complex parts, 796
Deformation processes
Strain hardening behaviour and temperature effect on Al-2124/SiCp, 1
Degradation
Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width, 677
Density
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels, 910
Density gradient
Friction-assisted pressing of PM components, 645
Design of experiments
A study on the machining parameters optimisation of electrical discharge machining, 521
Dextrine
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23
DGEBA
Diffusion control on the cure kinetics of DGEBA with ethylene-diamines, 546
Epoxy resins modified with poly(vinyl acetate), 827
Die compaction
Friction-assisted pressing of PM components, 645
Differential scanning calorimetry
Epoxy resins modified with poly(vinyl acetate), 827
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
Diffusion
Water absorption in polyaminosiloxane-epoxy thermosetting polymers, 311
Optimization of titanium alloy (6Al–4V) machining, 458
Numerical modeling of solid state sintering using heterogeneous packing and diffusion processes, 891
Diffusion control
Diffusion control on the cure kinetics of DGEBA with ethylene-diamines, 546
Dimensional change
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
Direct sintering
Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route, 555
Directional growth
Growth morphology of the NiAl–V in situ composites, 629
Distortion
Optical fibre sensors for monitoring of welding residual stresses, 316
DLC
Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source, 922
DMTA
Evaluation of chemical degradation of commercial polypropylene, 693
Domain growth
Kinetic models of ordering in two dimensions, 122
Domain kinetic
Domain kinetics simulations in 3D Ising model, 118
Doped
Size effect on structure and dielectric properties of Nb-doped barium titanate, 802
Drawability
Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique, 612
Drawing process
Mechanical solutions for drawing processes under plane strain conditions by the upper bound method, 539
Dry etching
Influence of TCO dry etching on the properties of amorphous-silicon solar cells, 358
DTA–TG
Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters, 464
Dual stream function
Upper bound analysis of torsional backward extrusion process, 735
Ductile damage
An orthotropic specific damage model with inclusion consideration, 337
Ductile fracture criterion
Virtual processing in intelligent BHF control deep drawing, 261
Ductile-to-brittle transition temperature (DBTT)
Sandwich-rolling of sintered chromium, 710
Duplex stainless steel
Hot deformation of duplex stainless steels, 321
Dynamic characteristics
Methods for the determination of arc stability, 430
Dynamic recrystallization
Hot deformation of duplex stainless steels, 321
Dynamic/static recrystallisation
Modelling of microstructural evolution in multipass hot rolling, 723

ECAD
Processing of aluminium alloys by equal channel angular drawing at room temperature, 105
ECAE
Equal channel angular extrusion in a commercial Al–Mn alloy, 506
EDM
A study on the machining parameters optimisation of electrical discharge machining, 521

Efficiency maps
Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure, 416
Electrical resistivity
Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates, 144
New approach for high resistivity CdTe preparation, 425

Electrical steel
Production of high silicon steel for electrical applications by thermomechanical processing, 916
Electrochemical property
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93
Electrochemical sensors
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Electrodeposited multilayers
Application of the electrodeposited multilayers amorphous wires in magnetometric sensors, 62
Electrophoretic deposition
Microstructural engineering of functionally graded materials by electrophoretic deposition, 572
Element elongation
Application of a failure analysis to powder forming processes, 46
Epoxy
Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response, 153
Epoxy resin
Water absorption in polyaminosiloxane-epoxy thermosetting polymers, 311
Epoxy resins modified with poly(vinyl acetate), 827
Epoxy resins
A fluorescence method to estimate the distribution of stresses in polymer materials, 495
The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins, 851
Epoxy-amines
Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin, 332
Erosion
Hot erosion behavior of carbide–metal composite coatings, 87
Ethyl xanthate
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23
Eutectics
Growth morphology of the NiAl–V in situ composites, 629
Evaporation
Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates, 144
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326
Experiments
Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling, 636
Extrusion
An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment, 584
Recycling of aluminium alloy and aluminium matrix composite chips by pressing and hot extrusion, 792

Failure analysis
Application of a failure analysis to powder forming processes, 46

Fatigue limit
The influence of defects on high cycle fatigue of metallic materials, 179
Fatigue strength reduction
Corrosion and biaxial fatigue of welded structures, 410
FE analysis
Development of optimum process design system for sheet fabrication using response surface method, 667
FE simulation
On the evaluation of strain inhomogeneity by hardness measurement of formed products, 300
3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique, 886
Fe/B intermetallics
Influence of carbon and aluminium additions on the Fe–10% B (wt.) system, 28
FEM
Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing, 242
Ferrimagnetic materials
Magnetic properties of Mg-ferrite after milling process, 470
Fiber arrays
Analysis of surface defects using a novel developed fiber-optics laser scanning system, 875
Fiber optic
Resin flow monitoring in resin film infusion process, 687
Fine blanking
The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl, 656
Finite element method
Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading, 249
Static analysis of the guiding bearing drill contact by finite element method, 270
Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section, 367
On the optimisation of superplastic forming processes by the finite-element method, 373
Finite element simulation of stent and balloon interaction, 591
Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel, 758
Finite element modelling (FEM)
Processing of aluminium alloys by equal channel angular drawing at room temperature, 105
Equal channel angular extrusion in a commercial Al–Mn alloy, 506
Finite elements
Numerical modeling of solid state sintering using heterogeneous packing and diffusion processes, 891
Finite-difference method
Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section, 367
Finite-element mesh
Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section, 367
Finite-element simulation
Surface quality improvement of multistage forged microparts for wristwatches, 362
Flotation
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23
Fluorescence
Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response, 153
Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin, 332

A fluorescence method to estimate the distribution of stresses in polymer materials, 495
The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins, 851
Forging
Some properties of powder forged steel based on chromium pre-alloyed powders of high oxygen content, 18
Surface quality improvement of multistage forged microparts for wristwatches, 362
Forming
Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure, 416
Forming defects
Rigid–plastic finite element simulation for process design of impeller hub forming, 729
Forming limit
Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing, 242
Forward extrusion
On the evaluation of strain inhomogeneity by hardness measurement of formed products, 300
Fracture
Mechanical properties and corrosion behaviour of stainless steel reinforcing bars, 134
Fracture mechanics
The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds, 481
Fracture toughness
Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects, 148
Free volume
Diffusion control on the cure kinetics of DGEBA with ethylenediamines, 546
Free-cutting additive
Effects of free-cutting additives on the machinability of austenitic stainless steels, 66
Friction
Friction-assisted pressing of PM components, 645
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Friction coefficient
Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel, 475
Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate, 832
Functionally graded materials
Microstructural engineering of functionally graded materials by electrophoretic deposition, 572
Development and characterisation of high-speed steel matrix composites gradient materials, 769
Functionally gradient materials
Creep analysis in an isotropic FGM rotating disc of Al–SiC composite, 616

Galena
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23
Garofalo equation
Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure, 416
Gas
Methodology in gas assisted moulding of plastics, 214
GDOS
Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate, 832
GeSeAg
DC conductivity of GeSeAg glasses at room temperature, 420
GI coated steel
Weld growth mechanism of resistance spot welds in zinc coated steel, 448
Glass fibers
Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin, 332
Glass transition temperature
Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins, 171
Glassy semiconductor
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
Graft copolymerization
Photo-initiated generation of a selective layer on polyacrylonitrile (PAN) composite membranes, 277
Grain boundary
Advanced type stainless steel 316FR for fast breeder reactor structures, 905
Grain refinement
Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel, 758
Grain size
Size effect on structure and dielectric properties of Nb-doped barium titanate, 802
Grain size evolution
A set of unified constitutive equations for modelling microstructure evolution in hot deformation, 281
Guiding bearing
Static analysis of the guiding bearing drill contact by finite element method, 270

Halogen lamps
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Hard coatings
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352
Hardened steel
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Hardness
Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration, 486
Hardness measurement
On the evaluation of strain inhomogeneity by hardness measurement of formed products, 300
Heat treatment
Modeling thermomechanical processing of austenite, 403
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Heating rate
Liquid phase sintering of P/M aluminium alloys: effect of processing conditions, 814
High cycle fatigue
The influence of defects on high cycle fatigue of metallic materials, 179
High impedance
Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions, 23
High silicon steel
Production of high silicon steel for electrical applications by thermomechanical processing, 916

High strength
An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment, 584
High-speed steel
Water-based processing of high-speed steel utilising starch consolidation, 752
Development and characterisation of high-speed steel matrix composites gradient materials, 769
HIP
Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route, 555
Hip prosthesis
Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading, 249
Host metal concentration
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Host metal crystal plasticity
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Hot deformation
Hot deformation of duplex stainless steels, 321
Hot rolling
Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel, 758
Hot working
A set of unified constitutive equations for modelling microstructure evolution in hot deformation, 281
Modeling thermomechanical processing of austenite, 403
HSS
Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route, 555
Hybrid
Cure effects on post-impact tensile characteristics of 2D epoxy composites, 209
Hydroforming
Influence of material and process parameters on bursting during hydroforming process, 11
Hydrolytic damage
Hydrolytic damage study of the silane coupling region in coated silica microfibres: pH and coating type effects, 82

Image analysis
Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions, 286
Impact
Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles, 856
Impedance
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Impeller hub
Rigid–plastic finite element simulation for process design of impeller hub forming, 729
Implant
Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source, 922
In situ composites
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Indentation tests
The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds, 481
Indoor-type manufacturing
Robust design for mass production, 786
Inelastic analysis
3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique, 886
Infiltrated composite
Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration, 486
Infiltration
Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width, 677
Infrared camera
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Injection
Methodology in gas assisted moulding of plastics, 214
Injection moulding
Limiting thickness estimation in polycarbonate lenses injection using CAE tools, 438
Critical thickness estimation in ISO-MC cards injection using CAE tools, 491
Inorganic wastes
Recovering inorganic wastes, 454
Intelligent BHF control
Virtual processing in intelligent BHF control deep drawing, 261
Intermetallic compounds
Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure, 416
Intermetallic NiAl compound
The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying, 551
Intermetallic particles
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Intermetallics
Growth morphology of the NiAl–V in situ composites, 629
Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature, 698
Internal friction
The use of internal friction techniques as a quality control tool in the mild steel industry, 442
Internal stress
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352
Inverse solution
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Ionic conductors
DC conductivity of GeSeAg glasses at room temperature, 420
Ion-selective electrodes
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Iron (Fe)
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93
Iron–nickel–copper powders
Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776
Ising model
Domain kinetics simulations in 3D Ising model, 118
Isostructural
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Isotropy
Creep analysis in an isotropic FGM rotating disc of Al–SiC composite, 616

Joining
Sinter-joining of different metal powder compacts using resistance heating, 561
Laser brazing of aluminium, 651
Joint
Adhesive bonding between aluminium and polytetrafluoroethylene, 191
Case studies in adhesives selection, 219
Joule's heat
Sinter-joining of different metal powder compacts using resistance heating, 561

Kinetic
Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response, 153
Kinetic model
Kinetic models of ordering in two dimensions, 122
Kinetic parameters
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
Kitagawa diagram
The influence of defects on high cycle fatigue of metallic materials, 179

Laser scanning
Analysis of surface defects using a novel developed fiber-optics laser scanning system, 875
Liquid phase
Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters, 464
Lithium
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93
Load curve control
On the optimisation of superplastic forming processes by the finite-element method, 373
Local heating and cooling technique
Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique, 612
Localization
Application of a failure analysis to powder forming processes, 46
Low Cr prealloyed PM steels
Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters, 464
Luminescence
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501

Machinability
Effects of free-cutting additives on the machinability of austenitic stainless steels, 66
Machining
Optimization of titanium alloy (6Al–4V) machining, 458
Machining forces
Force and deflection modelling in milling of low-rigidity complex parts, 796
Macrostructure
Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index, 195
Magnesium
Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles, 856
Magnesium alloy sheet
Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique, 612
Magnetic abrasive brush
Clarification of magnetic abrasive finishing mechanism, 682
Magnetic abrasive finishing
Clarification of magnetic abrasive finishing mechanism, 682
Magnetic domains
Domain structure of local current annealed amorphous ribbons, 130
Magnetisation
Magnetic properties of Mg-ferrite after milling process, 470
Magnetization processes
Domain kinetics simulations in 3D Ising model, 118
Magneto-impedance
Magneto-impedance effect in amorphous wires, 126
Magnetometric sensors
Application of the electrodeposited multilayers amorphous wires in magnetometric sensors, 62
Manganese additions
Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters, 464
Manufacturing
Comparative analysis of injection systems for manufacturing parts, 112
Surface roughness prediction by factorial design of experiments in turning processes, 390
Martensitic transformation
Strain-induced martensite in ADI alloys, 347
Mass production
Robust design for mass production, 786
Materials
Case studies in adhesives selection, 219
Mathematical modelling
Some aspects about the mathematical modelling results of an S.G. cast iron with special properties, 175
M–C–Si (M = Fe, Co or Ni) materials
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Mechanical alloying
Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying, 256
Mechanical characterisation of AA7015 aluminium alloy reinforced with ceramics, 378
The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying, 551
Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776
Mechanical behaviour of granular materials
Simulation of the compaction process of a two-level powder metallurgical part, 34
Mechanical grinding
Magnetic properties of Mg-ferrite after milling process, 470
Mechanical properties
Strain hardening behaviour and temperature effect on Al-2124/SiCp, 1
Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$, 58
Mechanical properties and corrosion behaviour of stainless steel reinforcing bars, 134
Some aspects about the mathematical modelling results of an S.G. cast iron with special properties, 175
Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions, 286
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352

Evaluation of chemical degradation of commercial polypropylene, 693
Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings, 703
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
Mechanism of weld growth
Weld growth mechanism of resistance spot welds in zinc coated steel, 448
Mechanochemical synthesis
Mechanochemical synthesis of ceramic powders with perovskite structure, 78
Melting behaviour
Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins, 171
Metal forming
Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section, 367
Metal injection molding
Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling, 636
Metal injection moulding
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Metal matrix composites
Strain hardening behaviour and temperature effect on Al-2124/SiCp, 1
Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$, 58
Recycling of aluminium alloy and aluminium matrix composite chips by pressing and hot extrusion, 792
Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles, 856
Metal powder
Sinter-joining of different metal powder compacts using resistance heating, 561
Metallo-thermo-mechanical behavior
Numerical modeling and simulation of carburized and nitrided quenching process, 880
Methodology
Methodology in gas assisted moulding of plastics, 214
Metrology
Surface roughness prediction by factorial design of experiments in turning processes, 390
A study on the machining parameters optimisation of electrical discharge machining, 521
Microparts
Surface quality improvement of multistage forged microparts for wristwatches, 362
Microstructural characterisation
Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$, 58
Microstructural coarsening
Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects, 148
Microstructure
Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index, 195
Characterisation and application of titanium carbonitride-based cutting tools, 527
Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route, 555
Growth morphology of the NiAl–V in situ composites, 629
Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings, 703
Microstructure and mechanical properties
The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition, 98
MIG/MAG welding process
Methods for the determination of arc stability, 430
Miscibility
Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins, 171
MMCs
Mechanical characterisation of AA7015 aluminium alloy reinforced with ceramics, 378
Simulation of the stir casting process, 567
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Mo coatings
Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings, 52
Modification
Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr, 306
Molybdenum
Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates, 144
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326
Molybdenum disulphide
The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition, 98
Monitoring
Optical fibre sensors for monitoring of welding residual stresses, 316
Monitoring curing
Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin, 332
Monte Carlo
Kinetic models of ordering in two dimensions, 122
Mo–Re alloys
Structural identification of phases in Mo–Re alloys within the range from 5 to 95% Re, 533
Mould sand
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Multilayer coatings
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352
Multipass hot rolling
Modelling of microstructural evolution in multipass hot rolling, 723

Nanocomposite
Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites, 185
Nanocrystalline
Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776
Nanocrystalline materials
The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying, 551
Nanomaterials
Magnetic properties of Mg-ferrite after milling process, 470
Nanometric powder
Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites, 185
Natural single-crystal diamond
Alumina ceramics cutting by self-sharpening edge technique of diamond, 662

Near net shape
Surface quality improvement of multistage forged microparts for wristwatches, 362
Neutral beam
Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source, 922
Niobium carbide
Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites, 185
Nitriding
Numerical modeling and simulation of carburized and nitrided quenching process, 880
Non-linear FEM analysis
FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study, 72
Non-linear visco-elasticity
Nutting creep in polymer composites, 164
Nonlinearity
Finite element simulation of stent and balloon interaction, 591
Non-proportional loading
Effects induced in metallic materials due to non-proportional cyclic loading, 741
Numerical analysis
Tensions and deformations of WC–Co cermets and 17-4 PH steel vacuum brazed joints, 294
Numerical simulation
Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling, 636
Numerical modeling and simulation of carburized and nitrided quenching process, 880

Off-centre welding
Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels, 578
Optical fibre sensor
Optical fibre sensors for monitoring of welding residual stresses, 316
Optical reflectance
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326
Optimal process parameters
Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling, 636
Optimization
Optimization of titanium alloy (6Al–4V) machining, 458
Development of optimum process design system for sheet fabrication using response surface method, 667
Ordered alloys
Production of high silicon steel for electrical applications by thermomechanical processing, 916
Organopolysiloxanes
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Outdoor-type manufacturing
Robust design for mass production, 786

P/M Al alloys
Liquid phase sintering of P/M aluminium alloys: effect of processing conditions, 814
P/M steels
Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel, 475
Partial melting
Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index, 195
Particles
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
Pawl
The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl, 656
PCBN
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Pechini process
Size effect on structure and dielectric properties of Nb-doped barium titanate, 802
Permeability
Resin flow monitoring in resin film infusion process, 687
Perovskite structure
Mechanochemical synthesis of ceramic powders with perovskite structure, 78
Perturbation technique
Influence of material and process parameters on bursting during hydroforming process, 11
Pervapouration
Photo-initiated generation of a selective layer on polyacrylonitrile (PAN) composite membranes, 277
Phase composition
Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration, 486
Phase identification
Structural identification of phases in Mo–Re alloys within the range from 5 to 95% Re, 533
Phosphors
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
Pitting corrosion
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Plane strain
Mechanical solutions for drawing processes under plane strain conditions by the upper bound method, 539
Plasma spraying
Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings, 52
Plastic forming
Plastic forming of Al_2O_3 ceramic substrates, 232
Plastic instability
Influence of material and process parameters on bursting during hydroforming process, 11
Polishing mechanism
Clarification of magnetic abrasive finishing mechanism, 682
Poly(ε-caprolactone)
Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins, 171
Poly(ethylene terephthalate)
Mechanical properties of polypropylene reinforced with recycled-pet fibres, 517
Poly(vinyl acetate)
Epoxy resins modified with poly(vinyl acetate), 827
Polymer composites
Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin, 332
Polymer electrolyte
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93
Polymeric infiltration
Viability study and mechanical characterisation of copper–graphite electrical contacts produced by adhesive joining, 290

Polypropylene
Mechanical properties of polypropylene reinforced with recycled-pet fibres, 517
Polystyrene
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Polytetrafluoroethylene
Adhesive bonding between aluminium and polytetrafluoroethylene, 191
Porosity
Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature, 698
Pott model
Kinetic models of ordering in two dimensions, 122
Powder
2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure, 901
Powder compaction
Application of a failure analysis to powder forming processes, 46
3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique, 886
Powder injection moulding
Recovering inorganic wastes, 454
Powder metallurgy
Influence of carbon and aluminium additions on the Fe–10% B (wt.) system, 28
Simulation of the compaction process of a two-level powder metallurgical part, 34
Characterization of casting iron powder from recycled swarf, 138
Static analysis of the guiding bearing drill contact by finite element method, 270
Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route, 555
Development and characterisation of high-speed steel matrix composites gradient materials, 769
Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels, 910
Powder sintering
Structural identification of phases in Mo–Re alloys within the range from 5 to 95% Re, 533
Powder technology
Ceramic products obtained from rock wastes, 843
Prealloyed powder
Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel, 475
The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels, 910
Precipitation
Advanced type stainless steel 316FR for fast breeder reactor structures, 905
Precipitation hardening
Liquid phase sintering of P/M aluminium alloys: effect of processing conditions, 814
Press cutting
Effect of cutting conditions on press cutting of a square pipe, 716
Pressure condition
2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure, 901
Process design
Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel, 758
Process improvement
Rigid–plastic finite element simulation for process design of impeller hub forming, 729
Processing
An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment, 584
Properties
Some properties of powder forged steel based on chromium pre-alloyed powders of high oxygen content, 18
Size effect on structure and dielectric properties of Nb-doped barium titanate, 802
Properties of WC–Co cermets and 17-4 PH stainless steel joints
Tensions and deformations of WC–Co cermets and 17-4 PH steel vacuum brazed joints, 294
PTFE + glass fibre composites
Surface profiles of composites with PTFE matrix, 384
Pulsed arc welding
Dissimilar welds between unreinforced AA6082 and AA6092/SiC/25p composite by pulsed-MIG arc welding using unreinforced filler alloys (Al–5Mg and Al–5Si), 846
PVD coatings
Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate, 832
Pyrosol process
Pyrosol preparation and structural characterization of SnO_2 thin films, 41

Quality control
The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds, 481
Quantification of phases
Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions, 286
Quasi-nonlinear technique
3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique, 886
Quenching
Numerical modeling and simulation of carburized and nitrided quenching process, 880

Rapid prototyping
Comparative analysis of injection systems for manufacturing parts, 112
Reaction rate constant
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
Reactive milling
Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites, 185
Recovery
Nutting creep in polymer composites, 164
A set of unified constitutive equations for modelling microstructure evolution in hot deformation, 281
Recovering inorganic wastes, 454
Modelling of microstructural evolution in multipass hot rolling, 723
Ceramic products obtained from rock wastes, 843
Recrystallisation
A set of unified constitutive equations for modelling microstructure evolution in hot deformation, 281
Production of high silicon steel for electrical applications by thermomechanical processing, 916
Recrystallization
Sandwich-rolling of sintered chromium, 710
Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel, 758
Recycling
Characterization of casting iron powder from recycled swarf, 138

Mechanical properties of polypropylene reinforced with recycled-pet fibres, 517
Recycling of aluminium alloy and aluminium matrix composite chips by pressing and hot extrusion, 792
Reduction
Some properties of powder forged steel based on chromium pre-alloyed powders of high oxygen content, 18
Refractories
FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study, 72
Regression equation
Some aspects about the mathematical modelling results of an S.G. cast iron with special properties, 175
Residual stress
Optical fibre sensors for monitoring of welding residual stresses, 316
Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc, 623
Resistance heating
Sinter-joining of different metal powder compacts using resistance heating, 561
Resistance spot welding
Weld growth mechanism of resistance spot welds in zinc coated steel, 448
Response surface
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Response surface method
Development of optimum process design system for sheet fabrication using response surface method, 667
Retardation angle
Effects induced in metallic materials due to non-proportional cyclic loading, 741
Retrospective dosimetry
Effect of dopants in the luminescent properties of synthetic quartz for dosimetric purposes, 871
RFI
Resin flow monitoring in resin film infusion process, 687
Rheocast
Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index, 195
Rigid–plastic finite element method
Rigid–plastic finite element simulation for process design of impeller hub forming, 729
Robust design
Robust design for mass production, 786
Roll casting
Study on high-speed twin-roll caster for aluminum alloys, 895
Rotating disc
Creep analysis in an isotropic FGM rotating disc of Al–SiC composite, 616
Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc, 623
Rotating-bending and torsional fatigue
Corrosion and biaxial fatigue of welded structures, 410
Roughness
Comparative analysis of injection systems for manufacturing parts, 112
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326
Surface roughness prediction by factorial design of experiments in turning processes, 390
A study on the machining parameters optimisation of electrical discharge machining, 521
RTL
Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials, 342
Rubber forming
Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials, 342
Rupture ductility
Advanced type stainless steel 316FR for fast breeder reactor structures, 905

S.G. cast iron
Some aspects about the mathematical modelling results of an S.G. cast iron with special properties, 175
Sandwich-rolling
Sandwich-rolling of sintered chromium, 710
Scratch test
Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate, 832
Secondary battery
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93
Selection
Case studies in adhesives selection, 219
Self-sharpening edge technique
Alumina ceramics cutting by self-sharpening edge technique of diamond, 662
Sheared surface
The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl, 656
Sheet fabrication
Development of optimum process design system for sheet fabrication using response surface method, 667
Sheet forming
Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique, 612
SHS
Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites, 185
Shunt resistance
Influence of TCO dry etching on the properties of amorphous-silicon solar cells, 358
SiC particles
Dissimilar welds between unreinforced AA6082 and AA6092/SiC/25p composite by pulsed-MIG arc welding using unreinforced filler alloys (Al–5Mg and Al–5Si), 846
Silane coating
Hydrolytic damage study of the silane coupling region in coated silica microfibres: pH and coating type effects, 82
Silica
Hydrolytic damage study of the silane coupling region in coated silica microfibres: pH and coating type effects, 82
Siloxane
Water absorption in polyaminosiloxane-epoxy thermosetting polymers, 311
Simple shear
Processing of aluminium alloys by equal channel angular drawing at room temperature, 105
Simulation
Simulation of the compaction process of a two-level powder metallurgical part, 34
Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading, 249
Simulation of the stir casting process, 567
Finite element simulation of stent and balloon interaction, 591
Simulation data base
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Sinterability
The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition, 98

Sintered Portland clinker
Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions, 286
Sintering
Some properties of powder forged steel based on chromium prealloyed powders of high oxygen content, 18
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Sinter-joining of different metal powder compacts using resistance heating, 561
Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature, 698
A method of making boride and vitreous compound by powder metallurgy, 764
Study of PM alloyed steels with Ni–Cu prealloyed powders, 781
Ceramic products obtained from rock wastes, 843
Sintering atmosphere
Liquid phase sintering of P/M aluminium alloys: effect of processing conditions, 814
Sintering time and temperature
Liquid phase sintering of P/M aluminium alloys: effect of processing conditions, 814
Sinter-joining
Sinter-joining of different metal powder compacts using resistance heating, 561
Site saturation
Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation", 512
Slate
Ceramic products obtained from rock wastes, 843
SMC roll forming
Effect of curing condition on the temperature of test piece in curing process of SMC roll forming, 673
Snoek effect
The use of internal friction techniques as a quality control tool in the mild steel industry, 442
Solar cell
Influence of TCO dry etching on the properties of amorphous-silicon solar cells, 358
Sol–gel films
Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors, 5
Solid lubricants
The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition, 98
Solid solution
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Advanced type stainless steel 316FR for fast breeder reactor structures, 905
Solid state sintering
Numerical modeling of solid state sintering using heterogeneous packing and diffusion processes, 891
Solidification
Quantification of the SiC_p content in molten Al–Si/SiC_p composites by computer aided thermal analysis, 860
Solidification thermal parameters
Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings, 703
Sputtering
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326
Sr addition
Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr, 306
Stability criteria
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
Stability maps
Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure, 416
Stabilization
Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite, 838
Stainless steel
Mechanical properties and corrosion behaviour of stainless steel reinforcing bars, 134
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Advanced type stainless steel 316FR for fast breeder reactor structures, 905
Stainless steel sheet
Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing, 242
Stamping
Development of optimum process design system for sheet fabrication using response surface method, 667
Starch consolidation
Water-based processing of high-speed steel utilising starch consolidation, 752
Steel metallurgy
The use of internal friction techniques as a quality control tool in the mild steel industry, 442
Stent
Finite element simulation of stent and balloon interaction, 591
Stereology
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
Stoichiometry controlled
New approach for high resistivity CdTe preparation, 425
Strain
Nutting creep in polymer composites, 164
Strain-induced martensite in ADI alloys, 347
Strain distribution
On the evaluation of strain inhomogeneity by hardness measurement of formed products, 300
Strain hardening
Strain hardening behaviour and temperature effect on Al-2124/SiCp, 1
Strain rate
Nutting creep in polymer composites, 164
Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles, 856
Strength
The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels, 910
Stress
Domain structure of local current annealed amorphous ribbons, 130
Nutting creep in polymer composites, 164
Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source, 922
Strip casting
Study on high-speed twin-roll caster for aluminum alloys, 895
Structural strain
Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates, 144
Submicronic
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
Sulfur
Preparation and electrical properties of lithium–sulfur-composite polymer batteries, 93

Superplastic forming
Processing of aluminium alloys by equal channel angular drawing at room temperature, 105
Equal channel angular extrusion in a commercial Al–Mn alloy, 506
Superplasticity
On the optimisation of superplastic forming processes by the finite-element method, 373
Superposition
Nutting creep in polymer composites, 164
Surface defects
Analysis of surface defects using a novel developed fiber-optics laser scanning system, 875
Surface finish
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Surface integrity
Effects of free-cutting additives on the machinability of austenitic stainless steels, 66
Surface morphology
Pyrosol preparation and structural characterization of SnO_2 thin films, 41
Surface profile parameters
Surface profiles of composites with PTFE matrix, 384
Surface temperature measurement
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Swarf
Characterization of casting iron powder from recycled swarf, 138
Synthesis
Processing of Gd_2O_3:Eu phosphor particles through aerosol route, 501
Synthetic quartz
Effect of dopants in the luminescent properties of synthetic quartz for dosimetric purposes, 871

TCO
Influence of TCO dry etching on the properties of amorphous-silicon solar cells, 358
Teeming ladle
FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study, 72
Temperature
Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles, 856
Temperature of test piece
Effect of curing condition on the temperature of test piece in curing process of SMC roll forming, 673
Tensile strength
Sandwich-rolling of sintered chromium, 710
Tension
Mild steel (En8) rod tests under combined tension–torsion loading, 807
Tension testing
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Tensional state
A fluorescence method to estimate the distribution of stresses in polymer materials, 495
Tension–torsion loading
Effects induced in metallic materials due to non-proportional cyclic loading, 741
Test piece width
Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width, 677
Texture
Production of high silicon steel for electrical applications by thermomechanical processing, 916
Thermal history
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Thermal properties
Substitute thermal conductivity coefficient for multi-component ceramic materials, 748
Thermal stability
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
Thermoforming
Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials, 342
Thermoforming process
Modelling of infrared heating of thermoplastic sheet used in thermoforming process, 225
Thermoluminescence
Effect of dopants in the luminescent properties of synthetic quartz for dosimetric purposes, 871
Thermomechanical processing
Modeling thermomechanical processing of austenite, 403
Production of high silicon steel for electrical applications by thermomechanical processing, 916
Thermo-mechanical properties
FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study, 72
Thermoplastic composites
Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials, 342
Thermoplastic matrix
Autoclave forming of thermoplastic composite parts, 266
Thermosetting binders
Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process, 397
Thermosetting resins
Diffusion control on the cure kinetics of DGEBA with ethylene-diamines, 546
Thin film
Influence of TCO dry etching on the properties of amorphous-silicon solar cells, 358
Thin strip
Study on high-speed twin-roll caster for aluminum alloys, 895
Thin-walled square pipe
Effect of cutting conditions on press cutting of a square pipe, 716
Three thicknesses
Weld growth mechanism of resistance spot welds in zinc coated steel, 448
Three-dimensional rolling
Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section, 367
TiAlN
Effect of ductile layers in mechanical behaviour of TiAlN thin coatings, 352
TIG welding
Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels, 578
Time
Nutting creep in polymer composites, 164
Tin oxide films
Pyrosol preparation and structural characterization of SnO_2 thin films, 41

Titanium
Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance, 158
Optimization of titanium alloy (6Al–4V) machining, 458
Titanium carbide
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Titanium carbonitride
Characterisation and application of titanium carbonitride-based cutting tools, 527
Titanium diboride particles
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Toluene/heptane-separation
Photo-initiated generation of a selective layer on polyacrylonitrile (PAN) composite membranes, 277
Tool life
Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools, 237
Alumina ceramics cutting by self-sharpening edge technique of diamond, 662
Tool wear
Alumina ceramics cutting by self-sharpening edge technique of diamond, 662
Torsion
Mild steel (En8) rod tests under combined tension–torsion loading, 807
Torsional backward extrusion
Upper bound analysis of torsional backward extrusion process, 735
Transient stress
Optical fibre sensors for monitoring of welding residual stresses, 316
Tribology
Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings, 52
Twin-roll caster
Study on high-speed twin-roll caster for aluminum alloys, 895

Uncertainty
Comparative analysis of injection systems for manufacturing parts, 112
Uncertainty analysis
Surface roughness prediction by factorial design of experiments in turning processes, 390
Uniaxial pressing
Recovering inorganic wastes, 454
Unsaturated polyester resins
Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins, 171
Upper bound analysis
Upper bound analysis of torsional backward extrusion process, 735
Upper limit
Mechanical solutions for drawing processes under plane strain conditions by the upper bound method, 539

Vacuum brazed joints tensions and deformations
Tensions and deformations of WC–Co cermets and 17-4 PH steel vacuum brazed joints, 294
Vacuum sintered high-speed steels
The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition, 98
Vanadium carbide
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Variable weld penetration
Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels, 578
Vertical vibration
2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure, 901
Virtual processing system
Virtual processing in intelligent BHF control deep drawing, 261
Viscoplasticity
A set of unified constitutive equations for modelling microstructure evolution in hot deformation, 281
Modelling of microstructural evolution in multipass hot rolling, 723
Void with inclusion
An orthotropic specific damage model with inclusion consideration, 337
Volume fraction crystallized
A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry, 866
V-ring indenter
The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl, 656

Warm deep drawing
Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing, 242
Wastes
Ceramic products obtained from rock wastes, 843
Watch parts
Surface quality improvement of multistage forged microparts for wristwatches, 362
Water lubrication
Surface profiles of composites with PTFE matrix, 384
Water processing
Water-based processing of high-speed steel utilising starch consolidation, 752
Wear
Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings, 52
Characterisation and application of titanium carbonitride-based cutting tools, 527
Friction and tribological behavior of (Ti, V)C–Co cermets, 822
Wear behaviour
Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel, 475
Development of Al–Si–Mg alloys reinforced with diboride particles, 598
Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics, 605
Welding
Optical fibre sensors for monitoring of welding residual stresses, 316
Williamson–Hall method
Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776
Wire
Magneto-impedance effect in amorphous wires, 126

XPS
Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance, 158
X-ray analytical microscope
Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width, 677
X-ray diffraction
Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts, 326

Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition, 776

Yield surface
Effects induced in metallic materials due to non-proportional cyclic loading, 741
Young's modulus
Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature, 698

Zirconia
Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects, 148
Zn–Al castings
Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings, 703
ZTA
Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects, 148